Assisting An Individual with a Developmental Disability with Feeding Activities for Paraprofessionals

Presented by: Nikki Krueger, PT, COS-C



T: (845) 889-8128 • F: (845) 889-4147 • E: rbc@netstep.net • www.rbclimited.com

Objectives

- Identify safe positions for feeding individuals with developmental disabilities
- Understand the modifications for food and liquids
- Understand the definition of "aspiration" and when to report it to the nurse or the therapist
- Identify adaptive equipment that is used to assist in feeding

© RBC Limited • www.rbclimited.com

Safe Positioning for Feeding

For the bedbound individual



© RBC Limited • www.rbclimited.com

Page 3

Safe Positioning for Feeding

For the bedbound individual




© RBC Limited • www.rbclimited.com











Wheelchair Straps

© RBC Limited • www.rbclimited.com

Page 9

Safe Positioning for Feeding

For individuals with visual impairments



 ALWAYS SET THE SAME WAY


Set Table


© RBC Limited • www.rbclimited.com

































Aspiration

- Aspiration is defined as the inhalation of food & fluid into the throat and/or the lungs
- Happens with swallowing and coughing

© RBC Limited • www.rbclimited.com

Aspiration Risks

- Being fed by others
- Weak cough
- Poor chewing
- Not sitting up while eating



© RBC Limited • www.rbclimited.com

Page 2

Aspiration Risks

- Medications that make the person sleepy
- Not following the food plan



© RBC Limited • www.rbclimited.com

Reporting Aspiration

- Eating slowly
- Coughing after meal
- Breathing Hard
- Vomiting
- Refusing to eat, unless it is from "favorite" caregiver



© RBC Limited • www.rbclimited.com

Page 20

Reporting Aspiration

IF SOMEONE IS CHOKING:

- Stop feeding them
- Keep them upright
- Allow/encourage them to cough
- Call 911 if they can't breathe
- Start CPR



© RBC Limited • www.rbclimited.com

age 30

Knowledge Check

- True or False: A bedbound person should be raised to at least 20 degrees for eating
- False at least 30 degrees
- True of False: You should make sure that all of the straps are tightened on the wheelchairs before feeding
- True shoulder straps, legs straps, and lap strap

© RBC Limited • www.rbclimited.com

Page 31

Knowledge Check

- True or False: Coughing after meals and breathing hard while eating are signs that a person may be aspirating food
- True
- True of False: Pudding thick liquids should be so thick they drop off of a spoon, instead of run off
- True

© RBC Limited • www.rbclimited.com









Kitchen Organization



 Make large print labels for groceries

© RBC Limited • www.rbclimited.com

Page 37





Follow organization system





Kitchen Cleaning



© RBC Limited • www.rbclimited.com

Page 41

Adaptive Equipment for Feeding



© RBC Limited • www.rbclimited.com













Food Transportation



© RBC Limited • www.rbclimited.com

Page 49


Food Transportation





© RBC Limited • www.rbclimited.com





Conclusion



© RBC Limited • www.rbclimited.com

Page 53

RBC Limited

48 West Pine Road Staatsburg, NY 12580

T- (845) 889-8128

F- (845) 889-4147

E - rbc@netstep.net

www.rbclimited.com

© RBC Limited • www.rbclimited.com